




Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-005/1

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 25RR1 (1Pc) Shackle: 25RR1A、25RR1B、 25RR1C、25RR1D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
17t	0-45 DEG	28mm Dia IWR	Legs 5.6m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>	<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>	
EN13411-3:2004,EN13414-1:2003	1960N/mm <sup>2</sup>	Flemish Steel Ferrule	
<b>TESTING CARRIED OUT ON SLING:</b>	<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b>	200t1907005
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-28mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	217080544A-1 WLL24T(X5-X2) WLL12T(BAG-AML)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-005/2

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 25RR2 (1Pc) Shackle: 25RR2A、25RR2B、 25RR2C、25RR2D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
17t	0-45 DEG	28mm Dia IWR	Legs 5.6m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t1907005
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-28mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	217080544A-1 WLL24T (X4-X3) WLL12T(BAG-AML)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	





Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-005/3

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 25RR3 (1Pc) Shackle: 25RR3A、25RR3B、 25RR3C、25RR3D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
17t	0-45 DEG	28mm Dia IWR	Legs 5.6m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t1907005
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-28mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	217080544A-1 WLL24T (X4-X3) WLL12T(BAG-AML)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	





Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-005/4

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 25RR4 (1Pc) Shackle: 25RR4A、25RR4B、 25RR4C、25RR4D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
17t	0-45 DEG	28mm Dia IWR	Legs 5.6m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t1907005
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-28mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	217080544A-1 WLL24T (X4-X3) WLL12T(BAG-AML)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		<p>Lai Puring (QC Manager) Jian Feng Sling Co., Ltd.</p>	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-006/1

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 2089 (1Pc) Shackle: 2089A、2089B、2089C、2089D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
13.8t	0-45 DEG	28mm Dia IWR	Legs 4.3m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>	<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>	
EN13411-3:2004,EN13414-1:2003	1960N/mm <sup>2</sup>	Flemish Steel Ferrule	
<b>TESTING CARRIED OUT ON SLING:</b>	<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b>	200t1907005
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-28mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	217080544A-1 WLL24T (X4-X3) WLL9.5T(UMO-UEN)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-006/2

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 20810 (1Pc) Shackle: 20810A.20810B.20810C.20810D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
13.8t	0-45 DEG	28mm Dia IWR	Legs 4.3m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t1907005
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-28mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	217080544A-1 WLL24T (X4-X3) WLL9.5T(UMO-UEN)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

## JIAN FENG SLING CO.,LTD

### CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-006/3

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 20811 (1Pc) Shackle: 20811A. 20811B. 20811C. 20811D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
13.8t	0-45 DEG	28mm Dia IWR	Legs 4.3m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t1907005
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-28mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	217080544A-1 WLL24T (X4-X3) WLL9.5T(UMO-UEN)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Puring (QC Manager) Jian Feng Sling Co., Ltd.	





Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-006/4

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 20812 (1Pc) Shackle: 20812A.20812B.20812C.20812D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
13.8t	0-45 DEG	28mm Dia IWR	Legs 4.3m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t1907005
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-28mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	217080544A-1 WLL24T (X4-X3) WLL9.5T(UMO-UEN)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		<p>Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.</p>	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-006/5

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 20813 (1Pc) Shackle: 20813A.20813B.20813C.20813D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
13.8t	0-45 DEG	28mm Dia IWR	Legs 4.3m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t1907005
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-28mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	217080544A-1 WLL24T (X4-X3) WLL9.5T(UMO-UEN)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-006/6

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 20814 (1Pc) Shackle: 20814A.20814B.20814C.20814D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
13.8t	0-45 DEG	28mm Dia IWR	Legs 4.3m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t1907005
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-28mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	217080544A-1 WLL24T (X4-X3) WLL9.5T(UMO-UEN)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-007/1

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: MRR1 (1Pc) Shackle: MRR1A、MRR1B、 MRR1C、MRR1D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
11t	0-45 DEG	26mm Dia IWR	Legs 3.5m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>	<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>	
EN13411-3:2004,EN13414-1:2003	1960N/mm <sup>2</sup>	Flemish Steel Ferrule	
<b>TESTING CARRIED OUT ON SLING:</b>	<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b>	200t2003013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-26mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219030295A-1 WLL24T (X4-X3) WLL8.5T(BBO-10418)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Puring (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-007/2

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: MRR2 (1Pc) Shackle: MRR2A、MRR2B、 MRR2C、MRR2D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
11t	0-45 DEG	26mm Dia IWR	Legs 3.5m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2003013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-26mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219030295A-1 WLL24T (X4-X3) WLL8.5T(BBO-10418)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Puring (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-007/3

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: MRR3 (1Pc) Shackle: MRR3A、MRR3B、 MRR3C、MRR3D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
11t	0-45 DEG	26mm Dia IWR	Legs 3.5m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2003013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-26mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219030295A-1 WLL24T (X4-X3) WLL8.5T(BBO-10418)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-007/4

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: MRR4 (1Pc) Shackle: MRR4A、MRR4B、 MRR4C、MRR4D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
11t	0-45 DEG	26mm Dia IWR	Legs 3.5m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>TEST REPORT NO:</b>	
DNVGL-ST-E271		200t2003013	
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-26mm(Zn) (MT-24T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219030295A-1 WLL24T (X4-X3) WLL8.5T(BBO-10418)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

## JIAN FENG SLING CO.,LTD

### CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-008/1

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 10815 (1Pc) Shackle: 10815A. 10815B. 10815C. 10815D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
11.65t	0-45 DEG	26mm Dia IWR	Legs 2.7m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2003013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-26mm(Zn) (MT-18T-10)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219030295A-1 WLL18.5T (R5-R4) WLL8.5T(BBO-10418)	AMMM000022G S-7154 TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	





Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-008/2

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 10816 (1Pc) Shackle: 10816A, 10816B, 10816C, 10816D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
11.65t	0-45 DEG	26mm Dia IWR	Legs 2.7m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2003013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-26mm(Zn) (MT-18T-10)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219030295A-1 WLL18.5T (R5-R4) WLL8.5T(BBO-10418)	AMMM000022G S-7154 TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
<b>Remarks:</b>			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-008/3

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 10817 (1Pc) Shackle: 10817A、10817B、10817C、10817D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
11.65t	0-45 DEG	26mm Dia IWR	Legs 2.7m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2003013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-26mm(Zn) (MT-18T-10)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219030295A-1 WLL18.5T (R5-R4) WLL8.5T(BBO-10418)	AMMM000022G S-7154 TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-008/4

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 10818 (1Pc) Shackle: 10818A, 10818B, 10818C, 10818D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
11.65t	0-45 DEG	26mm Dia IWR	Legs 2.7m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>TEST REPORT NO:</b>	
DNVGL-ST-E271		200t2003013	
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-26mm(Zn) (MT-18T-10)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219030295A-1 WLL18.5T (R5-R4) WLL8.5T(BBO-10418)	AMMM000022G S-7154 TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-008/5

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 10819 (1Pc) Shackle: 10819A, 10819B, 10819C, 10819D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
11.65t	0-45 DEG	26mm Dia IWR	Legs 2.7m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>TEST REPORT NO:</b>	
DNVGL-ST-E271		200t2003013	
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-26mm(Zn) (MT-18T-10)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219030295A-1 WLL18.5T (R5-R4) WLL8.5T(BBO-10418)	AMMM000022G S-7154 TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-008/6

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: 10820 (1Pc) Shackle: 10820A, 10820B, 10820C, 10820D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
11.65t	0-45 DEG	26mm Dia IWR	Legs 2.7m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>	<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>	
EN13411-3:2004,EN13414-1:2003	1960N/mm <sup>2</sup>	Flemish Steel Ferrule	
<b>TESTING CARRIED OUT ON SLING:</b>	<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b>	200t2003013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-26mm(Zn) (MT-18T-10)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219030295A-1 WLL18.5T (R5-R4) WLL8.5T(BBO-10418)	AMMM000022G S-7154 TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-009/1

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: B07 (1Pc) Shackle: B07A、 B07B、 B07C、 B07D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
2.1t	0-45 DEG	20mm Dia IWR	Legs 1.6m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2001003
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-20mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219090314B-3 WLL12.5T (A3-A1) WLL4.75T(XDO-9706)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-009/2

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: B08 (1Pc) Shackle: B08A、 B08B、 B08C、 B08D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
2.1t	0-45 DEG	20mm Dia IWR	Legs 1.6m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2001003
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-20mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219090314B-3 WLL12.5T (A3-A1) WLL4.75T(XDO-9706)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	





Form No: 271-1

**JIAN FENG SLING CO.,LTD****CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS****CERTIFICATE NO: JF202005-009/3**

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: B09 (1Pc) Shackle: B09A、 B09B、 B09C、 B09D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
2.1t	0-45 DEG	20mm Dia IWR	Legs 1.6m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>	<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>	
EN13411-3:2004,EN13414-1:2003	1960N/mm <sup>2</sup>	Flemish Steel Ferrule	
<b>TESTING CARRIED OUT ON SLING:</b>	<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b>	200t2001003
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-20mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219090314B-3 WLL12.5T (A3-A1) WLL4.75T(XDO-9706)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	







Form No: 271-1

## JIAN FENG SLING CO.,LTD

### CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-009/4

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: B10 (1Pc) Shackle: B10A、 B10B、 B10C、 B10D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
2.1t	0-45 DEG	20mm Dia IWR	Legs 1.6m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2001003
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-20mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219090314B-3 WLL12.5T (A3-A1) WLL4.75T(XDO-9706)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		  Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-010/1

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: C6310 (1Pc) Shackle:C6310A、C6310B、 C6310C、C6310D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
4.08t	0-45 DEG	20mm Dia IWR	Legs 1.4m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2001003
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-20mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219090314B-3 WLL12.5T (A3-A1) WLL4.75T(XDO-9706)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	





Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-010/2

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: C6311 (1Pc) Shackle: C6311A、C6311B、 C6311C、C6311D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
4.08t	0-45 DEG	20mm Dia IWR	Legs 1.4m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>	<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>	
EN13411-3:2004,EN13414-1:2003	1960N/mm <sup>2</sup>	Flemish Steel Ferrule	
<b>TESTING CARRIED OUT ON SLING:</b>	<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b>	200t2001003
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-20mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	219090314B-3 WLL12.5T (A3-A1) WLL4.75T(XDO-9706)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

## JIAN FENG SLING CO.,LTD

### CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-011/1

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: BWS01 (1Pc) Shackle: BWS01A、BWS01B、 BWS01C、BWS01D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
6.3t	0-45 DEG	22mm Dia IWR	Legs 2.8m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>TEST REPORT NO:</b>	
DNVGL-ST-E271		200t2005013	
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-22mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	220020271B-1 WLL12.5T (A3-A1) WLL6.5T(XGO-9277)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	





Form No: 271-1

**JIAN FENG SLING CO.,LTD****CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS****CERTIFICATE NO: JF202005-011/2**

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: BWS02 (1Pc) Shackle: BWS02A、BWS02B、 BWS02C、BWS02D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
6.3t	0-45 DEG	22mm Dia IWR	Legs 2.8m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>	<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>	
EN13411-3:2004,EN13414-1:2003	1960N/mm <sup>2</sup>	Flemish Steel Ferrule	
<b>TESTING CARRIED OUT ON SLING:</b>	<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b>	200t2005013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-22mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	220020271B-1 WLL12.5T (A3-A1) WLL6.5T(XGO-9277)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-011/3

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: BWS03 (1Pc) Shackle: BWS03A、 BWS03B、 BWS03C、 BWS03D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
6.3t	0-45 DEG	22mm Dia IWR	Legs 2.8m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2005013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-22mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	220020271B-1 WLL12.5T (A3-A1) WLL6.5T(XGO-9277)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
<b>Remarks:</b>			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-011/4

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: BWS04 (1Pc) Shackle: BWS04A、BWS04B、 BWS04C、BWS04D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
6.3t	0-45 DEG	22mm Dia IWR	Legs 2.8m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2005013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-22mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	220020271B-1 WLL12.5T (A3-A1) WLL6.5T(XGO-9277)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-011/5

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: BWS05 (1Pc) Shackle: BWS05A、BWS05B、 BWS05C、BWS05D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
6.3t	0-45 DEG	22mm Dia IWR	Legs 2.8m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2005013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-22mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	220020271B-1 WLL12.5T (A3-A1) WLL6.5T(XGO-9277)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	







# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-011/6

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: BWS06 (1Pc) Shackle: BWS06A、 BWS06B、 BWS06C、 BWS06D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
6.3t	0-45 DEG	22mm Dia IWR	Legs 2.8m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2005013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-22mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	220020271B-1 WLL12.5T (A3-A1) WLL6.5T(XGO-9277)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		  Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-011/7

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: BWS07 (1Pc) Shackle: BWS07A、 BWS07B、 BWS07C、 BWS07D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
6.3t	0-45 DEG	22mm Dia IWR	Legs 2.8m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2005013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-22mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	220020271B-1 WLL12.5T (A3-A1) WLL6.5T(XGO-9277)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-011/8

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: BWS08 (1Pc) Shackle: BWS08A、BWS08B、 BWS08C、BWS08D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
6.3t	0-45 DEG	22mm Dia IWR	Legs 2.8m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2005013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-22mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	220020271B-1 WLL12.5T (A3-A1) WLL6.5T(XGO-9277)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-011/9

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: BWS09 (1Pc) Shackle: BWS09A、BWS09B、 BWS09C、BWS09D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
6.3t	0-45 DEG	22mm Dia IWR	Legs 2.8m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>TEST REPORT NO:</b>	
DNVGL-ST-E271		200t2005013	
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-22mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	220020271B-1 WLL12.5T (A3-A1) WLL6.5T(XGO-9277)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	






Form No: 271-1

# JIAN FENG SLING CO.,LTD

## CERTIFICATE FOR OFFSHORE CONTAINER LIFTING SLINGS

CERTIFICATE NO: JF202005-011/10

<b>MANUFACTURER:</b>		<b>ADDRESS:</b>	
Jian Feng Sling Co.,Ltd.		No.18 Xiantang Road, Yongshun Avenue, Yonghe District, Economic and Technological Development Zone Guangzhou, China 511356	
<b>DET NORSKE VERITAS TYPE APPROVAL NO:</b>		<b>TYPE DESIGNATION:</b>	
TAS0000208		LIFTING SETS FOR OFFSHORE CONTAINERS	
<b>DESCRIPTION OF THE SLING:</b>		<b>IDENTIFICATION NUMBER OR MARK:</b>	
4Legs Wire Rope Sling		Sling: BWS10 (1Pc) Shackle: BWS10A、BWS10B、 BWS10C、BWS10D (4Pcs)	
<b>WORKING LOAD LIMIT(WLL)</b>	<b>ANGLE OF LEGS(TO VERTICAL):</b>	<b>DIAMETER OF SLING LEGS:</b>	<b>LENGTH OF LEGS</b>
6.3t	0-45 DEG	22mm Dia IWR	Legs 2.8m
<b>WIRE ROPE SLINGS</b>			
<b>REFERENCE STANDARD:</b>		<b>GRADE OF WIRE ROPE:</b>	<b>GRADE OF TERMINAL FITTINGS:</b>
EN13411-3:2004,EN13414-1:2003		1960N/mm <sup>2</sup>	Flemish Steel Ferrule
<b>TESTING CARRIED OUT ON SLING:</b>		<b>DNVGL-ST-E271</b>	<b>TEST REPORT NO:</b> 200t2005013
<b>LIFTING SET COMPONENTS</b> (shackles to be included only if assembly secured) (If new components are installed before re-certification, reference to previous certificate number and the new components unique identification mark):			
<b>DESCRIPTION:</b>	<b>SUPPLIER/MANUFACTURER:</b>	<b>IDENTIFICATION MARK :</b>	<b>DNVGL TA NO:</b>
6*36WS+IWR-22mm(Zn) (MT-12T-OS)Assembly Links Shackles	JiangSu LangShan Wire Rope Co.,Ltd Gunnebo industrier AB Gunnebo-Anja Industrier AS	220020271B-1 WLL12.5T (A3-A1) WLL6.5T(XGO-9277)	AMMM000022G TAS00000TE TAS00001B8
This lifting set has been designed, approved and tested in accordance with DNVGL-ST-E271 "Offshore Containers".			
The sling also conforms to the following standard(s): BS EN ISO 10855-2:2018.			
Remarks:			
This certificate is based on DNVGL type approval no. TAS0000208.			
Date: 28/05/2020 Place: GZJF Workshop		 Lai Purong (QC Manager) Jian Feng Sling Co., Ltd.	